

F44438

MARINE BLACK PANEL DUOX PLUS ST1 CP101

DESCRIPTION

Installed at the entrances to the building, they allow communication with the homes, opening the door, calling the concierge, etc.

It incorporates WIDE ANGLE COLOR camera with integrated lighting and adjustment system for camera focus. Adjusting the camera image can be done in different ways:

- Through the voice-assisted configuration that includes the amplifier module itself.
- Temporarily connecting a keyboard (ref. 7439).
- Through the locally connected DUOX Programmer.

Marine plate.

MARINE is the Fermax IP65 IK09 vandal-resistant plate. It is made of 2.5mm thick stainless steel. AISI 316L steel type.
Marine is the perfect choice to install in places with extreme weather conditions or in dangerous environments, humid or corrosive climates.

Marine plates do not include the recessed box or surface. This must be requested separately. The surface plates include a protective visor.

It is possible to combine two or more plates, as long as they are from the same series. To fit them perfectly, a set of spacers must be used for every two plates that are installed between their recessed boxes.

Color black RAL 9005

The vandal-resistant **call buttons** , made of stainless steel and with an anti-lock system, resist any impact.

The pushbuttons include a card holder to house a label with the name of the homeowner and the door number.

Pressing the call button is confirmed by an acoustic warning light emitted by the amplifier.

System: DUOX PLUS (2-wire digital)

TECHNICAL SPECIFICATIONS

SYSTEM	
Time to respond or open after the call(s) are made	30

Conversation time(s)	90
Conversation privacy	Yes
INSTALLATION	
Mounting	Flush,Surface
ENVIRONMENTAL	
Operating temperature (ºC)	[-25,70]
Non-condensing humidity (%)	[5,95]
Environmental protection rating (IP)	65
MECHANICAL	
Product dimensions (height x width x depth) (mm)	180 x 150 x -
Impact resistance rating (IK)	9
Product Color	Black
Pushbutton material and finish	Stainless steel
Modularity	Yes
ELÉCTRICAS	
Alimentación	18-24VCC
AUDIO	
Communication type	Full Duplex
VIDEO	
Video viewing angles (H x V x D)	100 x 80 x 115
Camera. Zoom	Yes
ADDITIONAL DETAILS	
Weight (kg)	1.178733
Packaging measurements (height x width x depth) cm	21x15,8x7,8
EAN	8424299444383

NOTES

Using the panel together with other accessories may affect and reduce its IP and IK protection ratings. It is recommended to seal the entire assembly after installation.

ACCESSORIES




F04641

MARINE ST1 FLUSH BOX



F04645

MARINE ST1 SURFACE BOX



F04701

MARINE ST1 HOOD