

F73891

CITY PANEL DUOX PLUS S4 CVP101 DDA

DESCRIPTION

Installed at the entrances to the building, they allow communication with the homes, opening the door, calling the concierge, etc.

CityLine plate.

Cityline is the line of "continuous profile" street panels for buildings.

This plate model is more robust and of higher aesthetic and functional quality. The design integrates, in its video intercom version, the audio and video functions in the same module.

It is characterized by its curved-convex profile, maintaining the same characteristics of its predecessor the City Classic. There is total compatibility between both models, ensuring immediate replacement and replacement.

It is made of anodized aluminum, highly resistant to weather and climate changes (IP43 IK07). It incorporates new materials such as chrome-plated zamak on the heads and buttons.

The front of the amplifier is made of aluminum and the interior is protected by a stainless steel grill.

It incorporates WIDE ANGLE COLOR camera with integrated lighting and adjustment system for camera focus. Adjusting the camera image can be done in different ways:

- Through the voice-assisted configuration that includes the amplifier module itself.
- Temporarily connecting a keyboard (ref. 7439).
- Through the locally connected DUOX Programmer.

Cityline plates do not include the recessed or surface box. This must be requested separately.

It is possible to combine two or more plates, as long as they are from the same series. To fit them perfectly, a set of spacers must be used for every two plates that are installed between their recessed boxes.

Aluminum color.

Injected zamak **call buttons** with chrome finish, in line with the curved profile of the plate. Waterproof for outdoors.
Equipped with special gold-plated contacts that provide greater durability.

Pressing the call button is confirmed by an acoustic warning light emitted by the amplifier.

The pushbuttons include a polycarbonate card holder (front access), to house a label with the name of the homeowner and the door number. Integrated lighting that allows you to view the card holders, even in complete darkness.

The entrance panel includes the **OneToOne information module with inductive loop** . The "OneToOne" module with inductive loop shows, using 4 LED icons, the state of the board.
These icons symbolize:

- Call.
- Conversation.
- Door Opening.
- Busy channel.

In addition, each of the sounds and audio reproduced by the amplifier are emitted by the inductive loop to the devices of disabled people.

System: DUOX PLUS (2-wire digital)

TECHNICAL SPECIFICATIONS

SYSTEM	
Time to respond or open after the call(s) are made	30
Conversation time(s)	90
Conversation privacy	Yes
ENVIRONMENTAL	
Operating temperature (ºC)	[-25,70]
Environmental protection rating (IP)	43
MECHANICAL	
Product dimensions (height x width x depth) (mm)	199 x 130 x -
Impact resistance rating (IK)	7
ELÉCTRICAS	
Alimentación	18-24VCC
AUDIO	
Adjustable volume in both directions	Loudspeaker: Audio volume (apartment-outdoor panel,Microphone: Audio volume (outdoor panel-apartment
VIDEO	
Frame rate (fps)	25
Transmitted video resolution (H x V)	368 x 288
Color night vision through white LEDs	Yes
Camera.Pan&Tilt	Yes
Fisheye correction	Yes

ADDITIONAL DETAILS	
Weight (kg)	0.737804
Packaging measurements (height x width x depth) cm	6,9x20x26,7
EAN	8424299738918