

F953303

1/W MILO VIDEO PANEL BLACK MEET

DESCRIPTION

1/W VIDEO MILO PANEL BLACK POE is presented in one version without proximity reader. For integrated prox. reader, refer to MILO 1W panel grey color ref.9534. Not compatible with Lift Control function

FEATURES

- Aluminum Profile
- High Resistance Tempered Glass
- High Definition Color Camera
- Low Power Consumption
- Wide Range Working Environment
- SIP compatible
- Linux Modular Structure
- Available In 11 languages
- Tags for identification in called devices

FUNCTIONS

CALL TENANT. Visitors can call the desired tenant from 1L panel. Alternatively, it can be configured to call one guard unit acting as an emergency call panel.

TECHNICAL SPECIFICATIONS

SYSTEM	
Conversation privacy	Yes
FEATURES	
CPU	ARM Cortex-A7 1.2GHz
FLASH	128M
SDRAM	64M
Web server	Yes
Sip Compatibility	Yes

INSTALLATION	
Mounting	Flush,Surface
ENVIRONMENTAL	
Operating temperature (°C)	[-25,70]
Non-condensing humidity (%)	[10,90]
Environmental protection rating (IP)	54
MECHANICAL	
Product dimensions (height x width x depth) (mm)	183 x 118 x 49
Product Color	Black
VIDEO	
KEYBOARD	
Keyboard backlighting	Yes
KEYBOARD FEATURES	
Keyboard backlighting	Yes
ADDITIONAL DETAILS	
Weight (kg)	0.8555
Packaging measurements (height x width x depth) cm	8x25,5x16,5
EAN	8424299953335

NOTES

Using the panel together with other accessories may affect and reduce its IP and IK protection ratings. It is recommended to seal the entire assembly after installation.

ACCESSORIES



F953303

1/W MILO VIDEO PANEL BLACK MEET



F09543

1/W MILO PANEL FLUSH BOX MEET